Monday, 2/11/2008 2:15:06 PM Ďate: Kim Johnston **Process Sheet** : FUEL PURGE CANISTER **Drawing Name** : CU-DAR001 Dart Helicopters Services Customer Job Number : 37369B **Estimate Number** : 10442 Part Number P.O. Number D3262 REV C : 2/11/2008 Drawing Number This Issue : N/A Project Number : NC Prsht Rev. MACHINED PARTS First Issue : 11 Type , **Drawing Revision** : 36777B Material 🦒 🔍 Previous Run Each Due Date : 2/28/2008 Written By Checked & Approved By Removed P/O for liquid penetrant inspection K : Est. C 05:03.10 J/JLM **Additional Product** Job Number: Description: Seq. #: M6061T6B0500X06000 6061-T6 Bar .50" x 6.0" 1.0 Comment: Qty.: 0.9668 f(s)/Unit Total: 9.6684 f(s) Material: 6061-T6/T651 (QQ-A-200/8 or 225/8) 0.500" thick (M6061T6B0.500x06.000) , Identify for D3262-3 Batch: 1105/45 BAND SAW Comment: BAND SAW Cut blanks: 6.000" x 0.500" x 5:400" long Bar Machine as per Folio FÃ457 and Dwg D3262 Identify for D3262 3 Deburr HAAS CNC VERTICAL MACHINING #1 3.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Machine as per dwg D3262 INSPECT PARTS AS THEY COME OFF MACH QC2 4.0 Comment: INSPECT PARTS AS THEY COME OFF MACHINE

Page 1

🚅 Form: rorocess

# **Dart Aerospace Ltd**

W/O:		WORK ORDER C	HANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
							,
				,			

Part No:	D3262 - 3	PAR #: NA	Fault Category:	Machino Park 1	NCR: Yes No	DQA:	Date: _	CEVORIS
	*				OA: N/C C	losed:	Date:	

NCR:	37.36	MG WG	ORK OR	DER NON-CONFORMANCI	E (NCR)			
DATE	STEP	Description of NC Section A	Initial Chief Eng	Corrective Action Section B  Action Description  Chief Eng	Sign &	Verification Section C	Approval Chief Eng	Approval QC Inspector
08/03/12	3.0	The origin was off by .200" on Yaxis		Erap and Replace.	8.F 03/14	(		5
-			Jasima	B: M105145		odu3/15	Losion	dealis
08/03/18	3.0	- I part has tool mark in threaded hole		= scrap në replace Oty 2	J.L			4
Ogbatta			Milan	B M105145	03/08/18	·8/3/18	fasion	06/8/16

NOTE: Date & initial all entries

Monday, 2/11/2008 2:15:06 PM Date: Ùser: Kim Johnston **Process Sheet** Drawing Name: FUEL PURGE CANISTER Customer: CU-DAR001 Dart Helicopters Services Job Number: 37369B Part Number: D32623 Job Number: Description: Seq. #: Machine Or Operation: SECOND CHECK 5.0 QC8 Comment: SECOND CHECK PACKAGING RESOURCE #1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 7.0 Comment: FINAL INSPECTION/W/O RELEASE Job Completion

# Dart Aerospace Ltd

W/O:		WORK ORDER CH	IANGES				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
Part No	•	PAR #: Fault Category:	NCR: Yes	No DQ	A:	Date:	
			QA:	N/C Close	d:	_ Date: _	

NCR:			WORK ORD	ER NON-CONFORMANC	E (NCR)			
		Description of NC	·	Corrective Action Section B		Verification	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Chief Eng	QC Inspector
·								
•								
Hitos.	,							

NOTE: Date & initial all entries

DART AEROSPACE LTD	Work Order:	37369B
Description: Cap	Part Number:	D3262-3
Inspection Dwg: D3262 Rev: C		Page 1 of 1

### FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype


Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.070 x 45°	+/-0.010	0073 x450	/			
0.45	+/-0.030	0.450				
R0.063	+/-0.010	RO.063				
0.080	+/-0.010	0.080	/			
0.33	+/-0.030	0.315	/		•	
Ø5.005	+0.010/-0.000	Ø 5.010				4.
0.688	+0.015/-0.000	0.688				
3.25	+/-0.005	3.248		-		
0.875	+/-0.010	0.871				
Ø0.516	+0.005/-0.000	00.519				
Ø5.165	+/-0.010	5.166				
	·				·	
0.083	+0.015/-0.000	0.087				
Ø0.580	+0.005/-0.000	0.581			. * '	···
				٠		


Measured by: HA/AL	Audited by: RO	Prototype Approval:	N/A
Date: 68/03/12	Date: 08/02/18	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	04.09.03	New Issue P/O D3262-041	KJ/JLM	
В	05.04.28	Dimensions and tolerances revised	KJ/JLM_	
С	06.09.27	Dimensions revised per rev. C	KJ/JLM ,	
D	07.09.06	0.080 was 0.090	KJ/JLM	E



	DESIGN DRAWN		BY 3	DART AEROSPACE L HAWKESBURY, ONTARIO, CANA			
	CHEC		APPRO	/ED	DRAWING NO.	. [	REV. C
	0	PH	-#	<b>-</b>	D3262	SHEE	T 1 OF 2
	DATE				TITLE		SCALE
		06.0	8.31		FUEL PURGE CANISTER		1:4
_	REV		DATE		DESCRIPTION		
	A.	. (	4.05.06		FIRST ISSUE		
	B 05.02.14			ADD PRESSURE TESTING OPTION			
	C 06.08.31			Ø5.165 WAS Ø5.190			





## D3262-041 CANISTER ASSEMBLY

ITEM	1 QTY P/N		DESCRIPTION
	Х	D3362-041	CANISTER ASSEMBLY
1	1	D3262-1	TUBE
2	2	D3262-3	CAP


NOTES:
1) WELD PER DART QSI 004

2) BREAK ALL SHARP CORNERS 0.005 TO 0.010

3) LIQUID PENETRANT INSPECT PER ASTM E1417 LEVEL 1 OR PRESSURIZE TO 10 psi AND SUBMERGE UNDER WATER TO BY CHECK FOR LEAKS


4) FINISH: CHEMICAL CONVERSION COAT PER QSI 005 4.1 POWDER COAT ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3


- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 6) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
  7) IDENTIFY WITH DART P/N AND B/N USING FINE POINT PERMANENT INK MARKER



#### **COPYRIGHT © 2004 BY DART AEROSPACE LTD**







COPYRIGHT © 2004 BY DART AEROSPACE LTD

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED 4) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

7) ENGRAVE 'DART' LOGO AS SHOWN USING 0.75 HIGH x 0.010 DEEP

5) BREAK ALL SHARP CORNERS 0.005 TO 0.010 6) PART IS SYMMETRICAL ABOUT CENTERLINE

(MAX) LETTERS WITH TOOL RADIUS OF 0.25 (MIN)

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

